

USER SKIDS ROUNDS

DATE: 7/18/03

TIME: _____

TECH: _____

CAT NAME/ LOCATION	PUMP DISCHARGE OR SYSTEM PRESSURE	SYSTEM FLOW RATE	SYSTEM LEVEL/ FILL	N2 PRESSURE	SYSTEM FILTER DP	POLISHING FILTER DP	POLISHING RESISTIVITY	SYSTEM RESISTIVITY	SUPPLY TEMP.	UV
SRI-CAT SECTOR 1 SRVC 3/4	115	N/A	Full	Good	0	1	N/A	17.18	N/A	
SRI-CAT SECTOR 2 SRVC 5/6	Pressure @ PRV 90	38.9								
SRI-CAT SECTOR 3/4 SRVC 7/8	120	56.5	Full	Good	0	0	14.32	14.67	N/A	
MU-CAT SECTOR 6 CL 82	130	5.1	Full	Good	0	0	14.18	14.96	N/A	
MHATT-CAT SECTOR 7 SRVC 9/10	85	N/A	Full		0	0	7.59	6.81	N/A	
IMM-CAT SECTOR 8 CL 88	70	15.5	Full	Good	0	0	13.95	13.21	N/A	
CMC-CAT SECTOR 9 SRVC 11/12	120	53.5	Full	Good	0	0	14.79	11.87	N/A	
BESSRC-CAT SECTOR 11 SRVC 13/14	80	72	Full		0	N/A	N/A	N/A	N/A	
SECTOR 13	Pressure @ PRV 60	18.3								
SECTOR 15 SRVC 17/18	75	27.6	Full	Good	0	0	9.35	9.07	N/A	
SBC-CAT SECTOR 19 SRVC 21/22	40	70	Full		0	0	N/A	N/A	67	
SER-CAT SECTOR 22 CL130	Pressure @ PRV 50	15.6								
SGX-CAT SECTOR 31 SRVC 33/34	Pressure @ PRV	15.7								
SECTOR 32 CL 160	160	N/A	Full		0	0	22.34	16.84	N/A	
UNI-CAT SECTOR 33 SRVC 35/36	135	N/A	Full		N/A	0	5.64	5.75	N/A	
SECTOR 34 CL 166	140	134			N/A	0	N/A	14.97	N/A	