
EXPGUI Tricks 3/31/06

Problem 7: How Can I Deal With Multiple Histograms?

- EXPEDT has many features that allow flags to be set for many histograms at the same time. Is there a way to do this in EXPGUI?
 - Yes: by using "Multiple Histogram Selection"
- "Multiple Histogram Selection" affects the Least Squares, Histogram, Scaling, Profile and March-Dollase panels
- Note: In "Multiple Histogram Selection" mode, histograms are grouped either
 - Together by type <u>or</u>
 - Heterogeneously ("any type") -- all types together
 - In "any type" mode, Profile & Histogram parameters are not accessible
- Before that -- how to add multiple histograms in one swell foop?

7.2A Turn on Multiple Histogram Selection ■ Two mechanisms to turn on Multiple Histogram Selection: 1. Options/Multiple hist. selection - "Group Phases Together" option affects only the Profile panel $\Theta \Theta \Theta$ X EXPGUI /private/tmp/TB002ASYM1. File Options Powder Xtal Graphs Results Calc Import/Export powplot | Istview | liveplot | expr Archive EXP ing | Profile | Constraints | MD Pre Use DISAGL window Autoload EXP listory: GENLES MacOSX Dec Iconify during GSAS Sort atoms by Sort histograms by Multiple hist, selection Override backspace Off ^ ΔΙΙ Screen font Show EXPTOOL output Save Options CW Neutron liveplot_options Assign app to .EXP files 17 1.53364 tb 18 1.53964 tb 19 1.53964 tb 20 1.53964 tb 21 1.53964 tb -Reflec Ex Group phases together

7.1 Adding Multiple Histograms ■ When the number of banks in a GSAS data (.raw) file match the number of banks defined in the instrument parameter file, the "Add Multiple Banks" option on the Add New Histogram subwindow is made available: $\overline{\mathbb{X}}$ add new histogram Adding a new histogram ☐ Dummy Histogram Data file: tbstd002.gsas ○ ○ ○ 🛛 addMult \diamondsuit 1 \diamondsuit 2 \diamondsuit 3 \diamondsuit 4 \diamondsuit 5 \diamondsuit 6 \diamondsuit 7 \diamondsuit 8 \diamondsuit 9 \diamondsuit 10 Select banks to add Select bank \$\phi \ 11 \leftrightarrow 12 \log \ 13 \log \ 14 \log \ 15 \log \ 16 \log \ 17 \log \ 18 \log \ 19 \log \ 20 Bank 2theta # max \diamondsuit 21 \diamondsuit 22 \diamondsuit 23 \diamondsuit 24 \diamondsuit 25 \diamondsuit 26 \diamondsuit 27 \diamondsuit 28 \diamondsuit 29 \diamondsuit 30 1 13.0 ♦ 31 ♦ 32 2 18.0 Instrument Parameter file: tbstd002.inst 3 23.0 4 28.0 \diamondsuit 1 \diamondsuit 2 \diamondsuit 3 \diamondsuit 4 \diamondsuit 5 \diamondsuit 6 \diamondsuit 7 \diamondsuit 8 \diamondsuit 9 \diamondsuit 16 5 33.0 \diamondsuit 11 \diamondsuit 12 \diamondsuit 13 \diamondsuit 14 \diamondsuit 15 \diamondsuit 16 \diamondsuit 17 \diamondsuit 18 \diamondsuit 19 \checkmark 20 6 38.0 7 43.0 8 48.0 CW Neutron 9 53.0 D-min Add Cancel Q-max Run RAWPLOT Jsable data limit: Add Cancel Add multiple banks



EXPGUI Tricks 3/31/06

